

**Palaeontology SSV for the proposed Extension of
the 132Kv Eskom Majuba Substation and
associated infrastructure,
Mpumalanga Province**

Desktop Study (Phase 1)

For

Nsovo Environmental Consulting

12 May 2024

Prof Marion Bamford

Palaeobotanist

P Bag 652, WITS 2050

Johannesburg, South Africa

Marion.bamford@wits.ac.za

Expertise of Specialist

The Palaeontologist Consultant: Prof Marion Bamford
Qualifications: PhD (Wits Univ, 1990); FRSSAf, mASSAf, PSSA
Experience: 35 years research and lecturing in Palaeontology
27 years PIA studies and over 350 projects completed

Declaration of Independence

This report has been compiled by Professor Marion Bamford, of the University of the Witwatersrand, sub-contracted by Nsovo Environmental Consulting, Midrand, South Africa. The views expressed in this report are entirely those of the author and no other interest was displayed during the decision making process for the Project.

Specialist: Prof Marion Bamford

Signature: *MKBamford*

Executive Summary

A Palaeontological Site Sensitivity Verification was requested for the proposed Extension of 132Kv Eskom Majuba Substation and associated infrastructure, southwest of Amersfoort, Mpumalanga Province.

To comply with the regulations of the South African Heritage Resources Agency (SAHRA) in terms of Section 38(8) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) (NHRA), a desktop Palaeontological Impact Assessment (PIA) was completed for the proposed development.

The proposed expansion site lies on the highly sensitive Volksrust Formation (Ecca Group, Karoo Supergroup) that might preserve terrestrial or marine middle Permian plants and invertebrates. In reality, such fossils are extremely rare and most outcrops of the Volksrust Formation covered by non-fossiliferous soils and the rocks are barren. Nonetheless, a Fossil Chance Find Protocol should be added to the EMPr. Based on this information it is recommended that no further palaeontological impact assessment is required unless fossils are found by the contractor, environmental officer or other designated responsible person once excavations or drilling activities have commenced. Since the impact will be low, as far as the palaeontology is concerned, the project should be authorised.

Table 4: Nsovo's Sensitivity verification scales.





LEGEND		Definition
Very High Sensitivity		The area is rated extremely sensitive to the negative impact of electricity grid infrastructure development. As a result, the area will either have very high conservation value, very high existing/ potential socio-economic value or hold legal protection status.
High Sensitivity		The area is rated highly sensitive to the negative impact of electricity grid infrastructure development. As a result, the area will either have high conservation value or existing/potential socio-economic value.
Medium Sensitivity		The area is rated as being of medium sensitivity to the negative impact of electricity grid infrastructure development. As a result, the area will either have medium levels of conservation value and/or medium levels of existing/potential socio-economic value.
Low Sensitivity		The area is considered to have low sensitivity levels in the context of electricity grid infrastructure.

Table 5: SAHRA's Verification table.

ASPECT	SCREENING TOOL SENSITIVITY	VERIFIED SENSITIVITY	OUTCOME STATEMENT/ PLAN OF STUDY	RELEVANT SECTION MOTIVATING VERIFICATION
Palaeontology	High	Low	Palaeontological Impact Assessment	Section 7.2. SAHRA Requirements

Table of Contents

Expertise of Specialist	1
Declaration of Independence	1
1. Background	5
2. Methods and Terms of Reference.....	8
3. Geology and Palaeontology.....	8
i. Project location and geological context	8
ii. Palaeontological context.....	9
4. Impact assessment.....	10
5. Assumptions and uncertainties.....	12
6. Recommendation.....	12
7. References	13
8. Chance Find Protocol	14
9. Appendix A – Examples of fossils	15
10. Appendix B – Details of specialist.....	16
Figure 1: Google Earth map of the general area to show the relative land marks.	7
Figure 2: Google Earth Map of the proposed development	7
Figure 3: Geological map of the area around the project site.....	8
Figure 4: SAHRIS palaeosensitivity map for the site	10
Table 1: Minimum requirements (NEMA and GNR)	5
Table 2: Abbreviations for the geological map	9
Table 3a, b: impact assessment criteria and results	11
Table 4: Nsovo SSV rating	12
Table 5: SAHRA SSV outcome	13

1. Background

Eskom is proposing to upgrade the existing Majuba Substation that is located close to the Majuba coal-fired Power Station, southwest of Amersfoort and northeast of Perdekop. The project involves the Extension of the 132Kv Eskom Majuba Substation and associated infrastructure (Figures 1-2).

Proposed Transmission high level scope of work:

- Establishment of a new 132 kV Yard, with 2 x 400/132 kV 500 MVA transformers,
- Extend the 400 kV busbar
- Equip 2 x 400 kV transformer bays
- Equip 2 x 132 kV transformer bays
- Equip 4 x 132 kV feeder bays
- Cater for transformer FCLR's
- Relocate any feeder bays, terminal towers and lines if required
- Relocate any telecoms or secondary plant if required,
- Install and commission any required secondary plant.

A Palaeontological Site Sensitivity Verification report was requested for the Majuba Substation upgrade project. To comply with the regulations of the South African Heritage Resources Agency (SAHRA) in terms of Section 38(8) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) (NHRA), a desktop Palaeontological Impact Assessment (PIA) was completed for the proposed development and is reported herein.

Table 1: National Environmental Management Act, 1998 (Act No. 107 of 1998) (NEMA) and Environmental Impact Assessment (EIA) Regulations, 2014 (as amended) - Requirements for Specialist Reports (Appendix 6).

	A specialist report prepared in terms of the Environmental Impact Regulations of 2017 must contain:	Relevant section in report
ai	Details of the specialist who prepared the report,	Appendix B
aii	The expertise of that person to compile a specialist report including a curriculum vitae	Appendix B
b	A declaration that the person is independent in a form as may be specified by the competent authority	Page 1
c	An indication of the scope of, and the purpose for which, the report was prepared	Section 1
ci	An indication of the quality and age of the base data used for the specialist report: SAHRIS palaeosensitivity map accessed – date of this report	Yes
cii	A description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change	Section 5

	A specialist report prepared in terms of the Environmental Impact Regulations of 2017 must contain:	Relevant section in report
d	The date and season of the site investigation and the relevance of the season to the outcome of the assessment	N/A
e	A description of the methodology adopted in preparing the report or carrying out the specialised process	Section 2
f	The specific identified sensitivity of the site related to the activity and its associated structures and infrastructure	Section 4
g	An identification of any areas to be avoided, including buffers	N/A
h	A map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers;	N/A
i	A description of any assumptions made and any uncertainties or gaps in knowledge;	Section 5
j	A description of the findings and potential implications of such findings on the impact of the proposed activity, including identified alternatives, on the environment	Section 4
k	Any mitigation measures for inclusion in the EMPr	Section 8, Appendix A
l	Any conditions for inclusion in the environmental authorisation	N/A
m	Any monitoring requirements for inclusion in the EMPr or environmental authorisation	Section 8, Appendix A
ni	A reasoned opinion as to whether the proposed activity or portions thereof should be authorised	Section 6
nii	If the opinion is that the proposed activity or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan	Sections 6, 8
o	A description of any consultation process that was undertaken during the course of carrying out the study	N/A
p	A summary and copies of any comments that were received during any consultation process	N/A
q	Any other information requested by the competent authority.	N/A
2	Where a government notice gazetted by the Minister provides for any protocol or minimum information requirement to be applied to a specialist report, the requirements as indicated in such notice will apply.	N/A



Figure 1: Google Earth map of the general area to show the relative land marks. The Majuba Substation project is shown by the labelled diagram in the centre.




Figure 2: Annotated Google Earth Map of the proposed expansion and upgrade of the Majuba Substation. Map supplied by Nsovo.

Table 2: Explanation of symbols for the geological map and approximate ages (Eriksson et al., 2006. Johnson et al., 2006; Partridge et al., 2006). SG = Supergroup; Fm = Formation; Ma = million years; grey shading = formations impacted by the project.

Symbol	Group/Formation	Lithology	Approximate Age
Q	Quaternary	Alluvium, sand, calcrete	Quaternary Ca 1.0 Ma to present
Jd	Jurassic dykes	Dolerite dykes, intrusive	Jurassic, approx. 183 Ma
Pvo	Volksrust Fm, Ecca Group, Karoo SG	Grey-black fine-grained mudstone, sandstone	Late Permian, ca 260 - 257 Ma

The project lies in the central east part of the main Karoo Basin where only the rocks of the Volksrust Formation are exposed. They have been intruded extensively by dolerite sills and dykes during the Jurassic, associated with the emplacement of the Drakenberg Mountains (Figure 3).

The Karoo Supergroup rocks cover a very large proportion of South Africa and extend from the northeast (east of Pretoria) to the southwest and across to almost the KwaZulu Natal south coast. It is bounded along the southern margin by the Cape Fold Belt and along the northern margin by the much older Transvaal Supergroup rocks. Representing some 120 million years (300 – 183Ma), the Karoo Supergroup rocks have preserved a diversity of fossil plants, insects, vertebrates and invertebrates.

Overlying the basal Dwyka Group glaciogene rocks are rocks of the Ecca Group that are Early Permian in age. There are eleven formations recognised in this group but they do not all extend throughout the Karoo Basin. In the central and eastern part are the following formations, from base upwards: Pietermaritzburg, Vryheid and **Volksrust** Formations. All of these sediments have varying proportions of sandstones, mudstones, shales and siltstones and represent shallow to deep water settings, deltas, rivers, streams and overbank depositional environments.

Large exposures of Jurassic dolerite dykes occur throughout the area. These intruded through the Karoo sediments around 183 million years ago at about the same time as the Drakensberg basaltic eruption.

ii. Palaeontological context

The palaeontological sensitivity of the area under consideration is presented in Figure 4. The site for development is in the Volksrust Formation (orange) and the non-fossiliferous Jurassic dolerite (grey).

The **Volksrust Formation** is the upper part of the Ecca Group (and lower Beaufort according to Smith et al., 2020) and is predominantly argillaceous and the grey to black silty shale with thin, usually bioturbated siltstone or sandstone lenses and beds that occur mostly in the upper and lower boundaries. The very thick and fine-grained sediments represent an open shelf environment where muds were deposited from suspension with (Johnson et al., 2006) in a deep water environment. It is not known if this was an inland

sea or open marine setting but the discovery of the marine bivalve, *Megadesmus*, (albeit one instance) about 25km west southwest of Newcastle in Volksrust Formation shales, points to a marine influence for at least part of the sequence (Cairncross et al., 2005).

Dolerite is a volcanic (igneous) rock that intrudes through the layers of overlying rocks or sediments, and cools and solidifies. Because of its origin it does not preserve any fossils. The heating effect of the molten dolerite on the material through which it intrudes bakes the rocks, and if any fossils are present they too are baked and destroyed. Zones of baking vary from a few cm to a few metres in thickness.



Figure 4: SAHRIS palaeosensitivity map for the site for the proposed Majuba Substation expansion and upgrade project shown within the yellow rectangle. Background colours indicate the following degrees of sensitivity: red = very highly sensitive; orange/yellow = high; green = moderate; blue = low; grey = insignificant/zero.

4. Impact assessment

An assessment of the potential impacts to possible palaeontological resources considers the criteria encapsulated in Table 3:

Table 3a: Criteria for assessing impacts

PART A: DEFINITION AND CRITERIA		
Criteria for ranking of the SEVERITY/NATURE of environmental impacts	H	Substantial deterioration (death, illness or injury). Recommended level will often be violated. Vigorous community action.
	M	Moderate/ measurable deterioration (discomfort). Recommended level will occasionally be violated. Widespread complaints.
	L	Minor deterioration (nuisance or minor deterioration). Change not measurable/ will remain in the current range. Recommended level will never be violated. Sporadic complaints.
	L+	Minor improvement. Change not measurable/ will remain in the current range. Recommended level will never be violated. Sporadic complaints.
	M+	Moderate improvement. Will be within or better than the recommended level. No observed reaction.
	H+	Substantial improvement. Will be within or better than the recommended level. Favourable publicity.
Criteria for ranking the DURATION of impacts	L	Quickly reversible. Less than the project life. Short term
	M	Reversible over time. Life of the project. Medium term
	H	Permanent. Beyond closure. Long term.
Criteria for ranking the SPATIAL SCALE of impacts	L	Localised - Within the site boundary.
	M	Fairly widespread – Beyond the site boundary. Local
	H	Widespread – Far beyond site boundary. Regional/ national
PROBABILITY (of exposure to impacts)	H	Definite/ Continuous
	M	Possible/ frequent
	L	Unlikely/ seldom

Table 3b: Impact Assessment

PART B: Assessment		
SEVERITY/NATURE	H	-
	M	-
	L	Soils and sands do not preserve fossils; so far there are no records from the Vryheid Fm of plant or animal fossils in this region so it is very unlikely that fossils occur on the site. The impact would be negligible
	L+	-
	M+	-
	H+	-
	DURATION	L
M		-
H		Where manifest, the impact will be permanent.

PART B: Assessment		
SPATIAL SCALE	L	Since the only possible fossils within the area would be fossil plant fragments or invertebrates in the shales, the spatial scale will be localised within the site boundary.
	M	-
	H	-
PROBABILITY	H	-
	M	-
	L	It is extremely unlikely that any fossils would be found in the loose soils and sands that cover the area or in the underlying Volksrust Fm shales that will be excavated for foundations. Nonetheless, a Fossil Chance Find Protocol should be added to the eventual EMPr.

Based on the nature of the project, surface activities may impact upon the fossil heritage if preserved in the development footprint. The geological structures suggest that the rocks are the right age and type to contain fossils but the fossils are very rare and sparsely and unpredictably distributed. Furthermore, the material to be excavated is soil and this does not preserve fossils. Since there is an extremely small chance that fossils may occur below ground in the shales of the Volksrust Formation and may be disturbed a Fossil Chance Find Protocol has been added to this report. Taking account of the defined criteria, the potential impact to fossil heritage resources is very low.

5. Assumptions and uncertainties

Based on the geology of the area and the palaeontological record as we know it, it can be assumed that the formation and layout of the dolomites, sandstones, shales and sands are typical for the country and only some might contain fossil plant, insect, invertebrate and vertebrate material. The sands of the Quaternary period would not preserve fossils.

6. Recommendation

Based on experience and the lack of any previously recorded fossils from the area, it is extremely unlikely that any fossils would be preserved in the overlying soils of the Quaternary. There is a very small chance that fossils may occur below the soils, in the shales of the Volksrust Formation so a Fossil Chance Find Protocol should be added to the EMPr. If fossils are found by the environmental officer, or other responsible person once excavations for foundations and infrastructure have commenced then they should be rescued and a palaeontologist called to assess and collect a representative sample. The impact on the palaeontological heritage would be low, so as far as the palaeontology is concerned, the project should be authorised.

Table 4: Nsovo's Sensitivity Verification Scales – Majuba Substation = LOW palaeo-sensitivity.





LEGEND		Definition
Very High Sensitivity		The area is rated extremely sensitive to the negative impact of electricity grid infrastructure development. As a result, the area will either have very high conservation value, very high existing/ potential socio-economic value or hold legal protection status.
High Sensitivity		The area is rated highly sensitive to the negative impact of electricity grid infrastructure development. As a result, the area will either have high conservation value or existing/potential socio-economic value.
Medium Sensitivity		The area is rated as being of medium sensitivity to the negative impact of electricity grid infrastructure development. As a result, the area will either have medium levels of conservation value and/or medium levels of existing/potential socio-economic value.
Low Sensitivity		The area is considered to have low sensitivity levels in the context of electricity grid infrastructure.

Table 5: SAHRA's verification table.

ASPECT	SCREENING TOOL SENSITIVITY	VERIFIED SENSITIVITY	OUTCOME STATEMENT/ PLAN OF STUDY	RELEVANT SECTION MOTIVATING VERIFICATION
Palaeontology	High	Low	Palaeontological Impact Assessment	Section 7.2. SAHRA Requirements

7. References

Anderson, J.M., Anderson, H.M., 1985. Palaeoflora of Southern Africa: Prodrum of South African megafloras, Devonian to Lower Cretaceous. A.A. Balkema, Rotterdam. 423 pp.

Bamford, M.K. 2004. Diversity of woody vegetation of Gondwanan southern Africa. *Gondwana Research* 7, 153-164.

Cadle, A.B., Cairncross, B., Christie, A.D.M., Roberts, D.L., 1993. The Karoo basin of South Africa: the type basin for the coal bearing deposits of southern Africa. *International Journal of Coal Geology* 23, 117-157.

Cairncross, B., 1990. Tectono-sedimentary settings and controls of the Karoo Basin Permian coals, South Africa. *International Journal of Coal Geology* 16, 175-178.

Cairncross, B., 2001. An overview of the Permian (Karoo) coal deposits of southern Africa. *African Earth Sciences* 33, 529-562.

Cairncross, B., Beukes, N.J., Coetzee, L.L., Rehfeld, U., 2005. The Bivalve *Megadesmus* from the Permian Volksrust Shale Formation (Karoo Supergroup), northeastern Karoo Basin, South Africa: implications for late Permian Basin development. *South African Journal of Geology* 108, 547-556.

Catuneanu, O., Hancox, P.J., Rubidge, B.S., 1998. Reciprocal flexural behaviour and contrasting stratigraphies: a new basin development model for the Karoo retroarc foreland system. *Basin Research* 10, 417-439.

Johnson, M.R., van Vuuren, C.J., Visser, J.N.J., Cole, D.I., Wickens, H.deV., Christie, A.D.M., Roberts, D.L., Brandl, G., 2006. Sedimentary rocks of the Karoo Supergroup. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). *The Geology of South Africa*. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. Pp 461 – 499.

Plumstead, E.P., 1969. Three thousand million years of plant life in Africa. Geological Society of southern Africa, Annexure to Volume LXXII. 72pp + 25 plates.

Smith, R.M.H., Rubidge, B.S., Day, M.O., Botha, J., 2020. Introduction to the tetrapod biozonation of the Karoo Supergroup. *South African Journal of Geology* 123(2), 131-140.

Taverner-Smith, R., Mason, T.R., Christie, A.D.M., Smith, A.M., van der Spuy, M., 1988. Sedimentary models for coal formation in the Vryheid Formation, northern Natal. *Bulletin of the Geological Survey of South Africa*, 94. 46pp.

8. Chance Find Protocol

Monitoring Programme for Palaeontology – to commence once the excavations / drilling activities begin.

1. The following procedure is only required if fossils are seen on the surface and when drilling/excavations commence.
2. When excavations begin the rocks and discard must be given a cursory inspection by the environmental officer or designated person. Any fossiliferous material (plants, insects, bone or coal) should be put aside in a suitably protected place. This way the project activities will not be interrupted.
3. Photographs of similar fossils must be provided to the developer to assist in recognizing the fossil plants, vertebrates, invertebrates or trace fossils in the shales and mudstones (for example see Figures 5-6). This information will be built into the EMP's training and awareness plan and procedures.
4. Photographs of the putative fossils can be sent to the palaeontologist for a preliminary assessment.
5. If there is any possible fossil material found by the developer/environmental officer then the qualified palaeontologist sub-contracted for this project, should visit the site to inspect the selected material and check the dumps where feasible.

6. Fossil plants or vertebrates that are considered to be of good quality or scientific interest by the palaeontologist must be removed, catalogued and housed in a suitable institution where they can be made available for further study. Before the fossils are removed from the site a SAHRA permit must be obtained. Annual reports must be submitted to SAHRA as required by the relevant permits.
7. If no good fossil material is recovered then no site inspections by the palaeontologist will be necessary. A final report by the palaeontologist must be sent to SAHRA once the project has been completed and only if there are fossils.
8. If no fossils are found and the excavations have finished then no further monitoring is required.

9. Appendix A – Examples of fossils from the Volksrust Formation




Figure 11. (A). Dorsal view of the *Megadesmus* bivalve. The fossil is 9 cm dorsal to ventral, and 8.4 cm lateral. See text for taxonomic details.




Figure 11. (B). Close-up of the anterior, dorsal section of the bivalve.

Figure 5: The unique occurrence of a marine bivalve from the Volksrust Formation.



Figure 6: Rare *Glossopteris* leaves occur in the Volksrust Formation and they are usually fragmented.

10. Appendix B – Details of specialist

Curriculum vitae (short) - Marion Bamford PhD January 2024

Present employment: Professor; Director of the Evolutionary Studies Institute.
Member Management Committee of the NRF/DSI Centre of Excellence Palaeosciences, University of the Witwatersrand, Johannesburg, South Africa

Telephone : +27 11 717 6690
Cell : 082 555 6937
E-mail : marion.bamford@wits.ac.za ;
marionbamford12@gmail.com

ii) Academic qualifications

Tertiary Education: All at the University of the Witwatersrand:

1980-1982: BSc, majors in Botany and Microbiology. Graduated April 1983.

1983: BSc Honours, Botany and Palaeobotany. Graduated April 1984.

1984-1986: MSc in Palaeobotany. Graduated with Distinction, November 1986.

1986-1989: PhD in Palaeobotany. Graduated in June 1990.

iii) Professional qualifications

Wood Anatomy Training (overseas as nothing was available in South Africa):

1994 - Service d'Anatomie des Bois, Musée Royal de l'Afrique Centrale, Tervuren, Belgium, by Roger Dechamps

1997 - Université Pierre et Marie Curie, Paris, France, by Dr Jean-Claude Koeniguer

1997 - Université Claude Bernard, Lyon, France by Prof Georges Barale, Dr Jean-Pierre Gros, and Dr Marc Philippe

iv) Membership of professional bodies/associations

Palaeontological Society of Southern Africa
 Royal Society of Southern Africa - Fellow: 2006 onwards
 Academy of Sciences of South Africa - Member: Oct 2014 onwards
 International Association of Wood Anatomists - First enrolled: January 1991
 International Organization of Palaeobotany – 1993+
 Botanical Society of South Africa
 South African Committee on Stratigraphy – Biostratigraphy - 1997 - 2016
 SASQUA (South African Society for Quaternary Research) – 1997+
 PAGES - 2008 –onwards: South African representative
 ROCEEH / WAVE – 2008+
 INQUA – PALCOMM – 2011+onwards

v) Supervision of Higher Degrees

All at Wits University

Degree	Graduated/completed	Current
Honours	13	0
Masters	13	3
PhD	13	7
Postdoctoral fellows	14	4

vi) Undergraduate teaching

Geology II – Palaeobotany GEOL2008 – average 65 students per year
 Biology III – Palaeobotany APES3029 – average 25 students per year
 Honours – Evolution of Terrestrial Ecosystems; African Plio-Pleistocene Palaeoecology;
 Micropalaeontology – average 12 - 20 students per year.

vii) Editing and reviewing

Editor: *Palaeontologia africana*: 2003 to 2013; 2014 – Assistant editor
 Guest Editor: *Quaternary International*: 2005 volume
 Member of Board of Review: *Review of Palaeobotany and Palynology*: 2010 –
 Associate Editor: *Cretaceous Research*: 2018-2020
 Associate Editor: *Royal Society Open*: 2021 -
 Review of manuscripts for ISI-listed journals: 30 local and international journals

viii) Palaeontological Impact Assessments

27 years' experience in PIA site and desktop projects
 Selected from recent projects only – list not complete:

- Beaufort West PV Facility 2021 for ACO Associates
- Copper Sunset MR 2021 for Digby Wells
- Sannaspos PV facility 2021 for CTS Heritage
- Smithfield-Rouxville-Zastron PL 2021 for TheroServe
- Glosam Mine 2022 for AHSA
- Wolf-Skilpad-Grassridge OHPL 2022 for Zutari
- Iziduli and Msenge WEFs 2022 for CTS Heritage
- Hendrina North and South WEFs & SEFs 2022 for Cabanga
- Dealesville-Springhaas SEFs 2022 for GIBB Environmental
- Vhuvhili and Mukondeleli SEFs 2022 for CSIR

- Chemwes & Stilfontein SEFs 2022 for CTS Heritage
- Equestria Exts housing 2022 for Beyond Heritage
- Zeerust Salene boreholes 2022 for Prescali
- Tsakane Sewer upgrade 2022 for Tsimba
- Transnet MPP inland and coastal 2022 for ENVASS
- Ruighoek PRA 2022 for SLR Consulting (Africa)
- Namli MRA Steinkopf 2022 for Beyond Heritage
- Adara 2 SEF 2023 for CTS Heritage
- Buffalo & Lyra SEFs 2023 for Nextec
- Camel Thorn Group Prospecting Rights 2023 for AHSA
- Dalmanutha SEFs 2023 for Beyond Heritage
- Elandsfontein Residential 2023 for Beyond Heritage
- Waterkloof Samancor 2023 for Elemental Sustainability
- Zonnebloem WTP 2023 for WSP
- Elders Irrigation 2023 for SRK
- Leghoya WEFS 2023 for Red Cap & SLR

ix) **Research Output**

Publications by M K Bamford up to January 2024 peer-reviewed journals or scholarly books: over 175 articles published; 5 submitted/in press; 14 book chapters.

Scopus h-index = 32; Google Scholar h-index = 40; -i10-index = 121 based on 7261 citations.

Conferences: numerous presentations at local and international conferences.